Test solutions for submarine networks

Ensuring cost-effective 100G/200G/400G submarine transmissions





Ensuring cost-effective 100G/200G/400G submarine transmissions

Commissioning and turn-up



FTBx-88480-400G multiservice testing

Compact, multiservice 400G test solution built with 112G electrical lanes and EXFO's modular open transceiver system (OTS).



FTBx-88260-100G multiservice testing

Next-generation advanced multiservice testing for 1G-100G (including 25G/50G), plus ability to handle multiple transceiver types.



FTBx-8870/8880-10G multiservice testing

Versatile 10G multiservice test modules for lab and field applications.



FTBx-5245/5255-optical spectrum analyzers (OSAs)

Highly accurate, easy-to-use OSAs for current and next-generation networks.



FTBx-88260 featuring EXFO's OTS

Open transceiver system (OTS)

The OTS is an evolutionary design enabling any transceiver (now or future) to fit into an EXFO test solution. Inserts to test specific transceiver types eliminate the need to replace entire testing modules and can be interchanged directly in the field. Available on the FTBx-88460 and FTBx-88260 test modules.





FIP-500B—fiber inspection scope

Fastest inspection in the industry for both single-fiber and multi-fiber connectors, with the most reliable results. Self-contained, fully automated tool for zero-button testing.



FTB-7600E-ultra-longhaul OTDR

The FTB-7600E OTDR offers a dynamic range of up to 50 dB; this module can test over distances of up to 250 km.



FTB-5700—single-ended dispersion analyzer

Combined CD and PMD measurement in a highly automated, high-efficiency, single-ended test solution.



FTB-5800—chromatic dispersion analyzer

Field-ready unit for all chromatic and polarization dispersion testing needs, from verifying the capacity of legacy fiber to upgrading a network to a given rate.



FTB-5500B-PMD analyzer

Patented design: Test through EDFAs. Compliant with TIA-FOTP-124A standard. Testing time under 5 seconds for any PMD range.



Remotely operated OTDR at the landing stations for qualification and proactive monitoring of immersed optical cables up 200 km from shore. Powered by iOLM's patented dynamic multipulse technology.

Remote fiber testing and monitoring

Total link characterization

is an important step that provides a view of the entire link, including all interconnection points, fusion splices and fiber sections. Link characterization, which includes CD, PMD and OTDR tests, also serves as a future reference when performing commissioning and troubleshooting on the same link.

The critical weakness of undersea cables is their vulnerability to damage caused by fishing and vessel anchoring. Constant surveillance of these optical fiber cables requires an OTDR monitoring solution. These easy-to-manage units cost-effectively monitor coastal route topologies (festoon style), and also keep you up to date on the status of the fibers and cables.

They also use various messaging channels to alert you of any potential impairment to your most valuable asset.

100G/200G/400G submarine network deployments

All-in-one 100G/200G/400G commissioning, turn-up and troubleshooting from a single test platform

Scalable, versatile, high-density platform



*i***D**ptics

Flexible, reliable best-in-class transport testing

111		Power Blazer 4000	
	<u> </u>		0

FTBx-88480-400G multiservice testing

With iOptics, validate any pluggable transceiver from 10M to 400G, covering SFP, SFP+, XFP, CFP, CFP2, CFP4, CFP8, QSFP+, QSFP-DD and QSFP28

Agile, optical spectrum analyzer



LEARN MORE

Submarine network case study: Hawaiki ushers in a new era of digital communications in the Pacific **Blog post:** Testing submarine cables: why it's a big deal More about our test offering for submarine networks



23/02



Contact us for brand new, refurbished and used EXFO Equipment



AGS-TECH Inc. Phone: +1-505-550-6501 and +1-505-565-5102 Fax: +1-505-814-5778 Email: sales@agstech.net Web: http://www.agstech.net