

ASK-001

10-PC 1/2" DR. Air Impact Socket Set (CRV)

Size: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27 mm



ASK-002

8-PC 3/4" DR. Air Impact Socket Set (cr-mo)

Size: 26, 27, 29, 30, 32, 35, 36, 38 mm



ASK-003

6-PC 1" DR. Air Impact Socket Set (CR-MO)

Size: 22, 24, 32, 35, 38, 41 mm



ASK-006

3-PC 1/2" DR. Deep Air Socket Set (CRV)

Size: 17, 19, 21 mm

- Color: Blue (17mm), Yellow (19mm), and Red (21mm)
- With plastic protective sleeve
- Specially for loosening and tightening wheel nuts on light alloy wheels



ASK-007

7-PC 1/2" DR. Reg Impact Socket Set (metric Or Sae) (CRV)

- Metric Size: 9, 10, 11, 13, 14, 17, 19 mm
- SAE Size: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"



ASK-004

35-PC Air Impact Socket Set (CRV)

- 3/8" DR. (12 pcs): 8, 9, 10, 11, 12, 13, 15, 17 mm, 3/8", 1/2", 9/16", 11/16"
- 1/2" DR. (20 pcs): 9, 10, 11, 12, 13, 14, 15, 17, 18, 21, 22, 24, 27, 30 mm, 9/16", 5/8", 11/16", 3/4", 13/16", 1"
- 1 – 3/8" extension bar
- 1 – 1/2" extension bar
- 1 – drive adaptor



ASK-005

38-PC Air Impact Socket Set (CRV)

- 3/8" DR. deep sockets, metric (8 pcs): 8, 10, 11, 12, 13, 14, 17, 19 mm
- 3/8" DR. deep sockets, SAE (8 pcs): 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 1/2" DR. deep sockets, metric (10 pcs): 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm
- 1/2" DR. deep sockets, SAE (10 pcs): 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
- 1 – adaptor: 1/2" (F) x 3/8" (M)
- 1 – metal case



ASK-008

10-PC 1/2" DR. Reg Impact Socket Set (metric Or Sae) (CRV)

- Metric Size: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27 mm
- SAE Size: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 15/16", 7/8", 1"



AIR TOOLS ACCESSORIES

ASK-009

13-PC 1/2" DR. Deep Air Impact Socket Set (metric Or Sae) (CRV)

- Metric Size: 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30 mm
- SAE Size: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



ASK-011

7-PC 1/2" DR. Deep 6Pt Impact Socket Set (CRV)

- Size: 17, 19, 21, 22, 23, 24, 27 mm
- With plastic protective sleeve
- Qty: Per carton: 10 sets/box
- G.W./N.W.: 23/22 Kgs
- Carton Meas: 28x27x16.5 cm



ASK-012

8-PC Impact Adaptor Set

- SAE Size: 3/8"F - 1/4"M, 1/4"F - 3/8"M, 3/8"F - 1/2"M, 1/2"F - 3/8"M, 1/2"F - 3/4"M, 3/4"F - 1/2"M, 3/4"F - 1"M, 1"F - 3/4"M



ASK-013

8-PC 3/4" DR. Impact Socket Set

- Metric Size: 26, 27, 29, 30, 32, 35, 36, 38 mm



ASK-014

12-PC 1/2" DR. SAE Deep Impact Socket Set

- SAE Size: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1/2" to 3/8" adaptor



ASK-015

12-PC 1/2" DR. Metric Deep Impact Socket Set

- Metric Size: 10, 13, 14, 15, 16, 17, 19, 21, 22, 24, 27 mm, 1/2" to 3/8" adaptor



AIR TOOLS ACCESSORIES

SP-01
6" Sanding Pad
(vinyl Face)



To fit AT-280,
PAT-301, PAT-302

SP-02
6" Sanding Pad
(velcro Face)



To fit AT-280,
PAT-301, PAT-302

SP-03
6" Sanding Pad
(velcro Face, 6 Holes)



To fit AT-991, AT-991LA, AT-980-6V

SP-05
5" Sanding Pad
(vinyl Face)



To fit AT-980-5

SP-06
5" Sanding Pad
(velcro Face)



To fit AT-980-5

SP-07
5" Sanding Pad
(vinyl Face 6 Holes)



To fit AT-980-5V

SP-08
5" Sanding Pad
(velcro Face 6 Holes)



To fit AT-980-5V

SP-09
2" Sanding Pad
(vinyl Face Or
Velcro Face)



To fit AT-7037B,
AT-7037BN

SP-10
7" Buffing Pad



To fit AT-880B

SP-11
6" Sanding Pad



To fit AT-991, AT-991LA, AT-980-6V

SP-12
6" Sanding Pad



To fit AT-991, AT-991LA, AT-980-6V

SP-13
6" Sanding Pad



To fit AT-991, AT-991LA, AT-980-6V

AIR TOOLS ACCESSORIES

SP-15 6" Sanding Pad



To fit AT-991, AT-991LA, AT-980-6V

SP-16 5" Sanding Pad



To fit AT-980-5V

SP-17 5" Sanding Pad



To fit AT-980-5V

GWL-001

4" Grinding Wheel for AT-282, SJ100X



GWL-002

5" Grinding Wheel for AT-185, AT-285, SJ125X



GWL-003

2-1/2" Grinding Wheel for AT-7037C, AT-7037CN, AT-7037F, AT-7037FN



SBT-001

10mm Sanding Belt for AT-480 (60, 80, 120 grit)



SBT-002

10mm Long Sanding Belt for AT-480L (60, 80, 120 grit)



SP-50

7PC 3" Surface Conditioning Kit

- 3PC – Surface prep discs
- 3PC – Sand discs
- 1PC – Backing pad
- For grinding, sanding and deburring



SP-51

7PC 2" Surface Conditioning Kit

- 3PC – Surface prep discs
- 3PC – Sand discs
- 1PC – Backing pad
- For grinding, sanding and deburring



SBT-003

20mm Sanding Belt for AT-485 (60, 80, 120 grit)



SP-52

4PC 2" Paint and Corrosion Removal Kit

- 3PC – Quick-strip discs
- 1PC – Backing pad
- For paint and rust removal



AIR TOOLS ACCESSORIES

ACW-001

3" Cut Off Wheel
(for AT-6027)



AJW-001

2-pc Jaw Set



BND-001

Replacement Blade
and Die (for AT-7038)



AJW-002

3-pc Jaw Set



ACL-001

4 Pc Air Chisel Set (round)




BNS-001

3-Pc Replacement
Blade Set (for PAT-171, AT-172)



BNS-002

3-Pc Replacement
Blade Set (for PAT-272)



ACL-002

4 Pc Air Chisel Set (hex)



AT-7039-18/7039-24

2-pc Blade Saw Set (18T & 24T)
(for AT-7039)



ACL-003

5 Pc Air Chisel Set, Long (round)



MST-001

10pc Mounted Stone Set (1/4" & 1/8" shank)



ACL-004

5 Pc Air Chisel Set, Long (hex)



MST-002

5pc Mounted Stone Set (1/4" shank)



SRT-001

Spring Retainer



QRC-001

Quick-Change Chuck
(steel made)



MST-003

5pc Mounted Stone Set (1/8" shank)



AIR TOOLS ACCESSORIES

CW-001

Cutting Wheel (for water-fed cutter)

Size: 4", 5"



BPD-001

Backing Pad (for water-fed sander / polisher)

Size: 3", 4", 5"



DSD-001

Diamond Sanding Disc, Wet (for water-fed sander / polisher)

Size: 3", 4", 5", (50 grit, 100 grit, 200 grit, 400 grit, 800 grit, 1500 grit, 3000 grit)



WDT-001

Water diverter, short (for water-feed sander / polisher)

Material: brass



WDT-002

Water diverter, long (for water-feed cutter)

Material: brass



EW-501
EW-502

EW-507
EW-508

EW-505
EW-506

EW-509

EW-510



Spring Balancer

- EW-501:** 0.5~1.5 kg 100cm Length (Adjustable)
- EW-502:** 1.5~3.0 kg 100cm Length (Adjustable)
- EW-507:** 0.5~1.5 kg 100cm Length (Adjustable)
- EW-508:** 1.5~3.0 kg 100cm Length (Adjustable)
- EW-505:** 0.6~1.2 kg 100cm Length
- EW-506:** 1.2~2.0 kg 100cm Length
- EW-509:** 5.0~9.0 kg
- EW-510:** 9.0~15 kg

SPECIAL INDUSTRIAL PNEUMATIC TOOLS

AT-150Z66A 150 mm Pneumatic Grinder

- Suitable for grinding flat runners and risers of casts in big and medium size
- Modifying big machinery parts, dies and welds
- Also good for polishing jobs with a substitution of polishing bonnets or pads
- Still excellent for erasing rust and old paints on metal surfaces with a substitution of steel wire brushes



AT-150Z66 150 mm Pneumatic Grinder

- Suitable for grinding flat runners and risers of casts in big and medium size
- Modifying big machinery parts, dies and welds
- Also good for polishing jobs with a substitution of polishing bonnets or pads
- Still excellent for erasing rust and old paints on metal surfaces with a substitution of steel wire brushes



AT-C6B Pneumatic Shovel

- Suitable for various shoveling jobs in boiler, vessel, metallurgical industry
- Specially nice for shoveling irregular and tiny surfaces.
- For erasing sands and shoveling runners and risers on medium and small die cast objects
- For shoveling welds in basic construction and bridge industry
- Great for cutting and tunnel-opening on various brick-concrete walls



AT-G10 Pneumatic Pick

- For splitting ground and road surface in municipal works or breaking concrete base in industrial installation
- For smashing solid icy layer in underground construction or for earth-wood construction
- For splitting mineral layer or soft mineral in mining industry



MODEL	GRINDING WHEEL (MAX.)	MAIN SPINDLE POWER	FREE SPEED	TOTAL LENGTH	AIR HOSE (ID)	AIR CONSUMPTION	WEIGHT		QTY.PER CARTON	CARTON MEAS.
AT-150Z66A	MM 150	KW 1.4	RPM 6,600	MM 485	MM 16	L/MIN 1380	KGS 5	LBS 11	PCS 5	CM 54x52x17
AT-150Z66	MM 150	KW 1.5	RPM 6,600	MM 475	MM 16	L/MIN 1970	KGS 6	LBS 13.2	PCS 2	CM 52x38x15.5
MODEL	IMPACT RATE	IMPACT POWER	CYLINDER DIAMETER	LENGTH	AIR HOSE (ID)	AIR CONSUMPTION	WEIGHT		QTY.PER CARTON	CARTON MEAS.
AT-C6B	HZ 32	J 10	MM 30	MM 360	MM 13	L/MIN 1,260	KGS 6	LBS 13.2	PCS 5	CM 46x39x21
AT-G10	HZ 16	J 43	MM 38	MM 570	MM 13	L/MIN 1,560	KGS 10	LBS 22	PCS 1	CM 54x18x13

SPECIAL INDUSTRIAL PNEUMATIC TOOLS

AT-M16 | M22 Pneumatic Riveting Hammer

- Applicable for riveting metal construction and for other sites requiring impact power



AT-XC23 Pneumatic Scaler

- Suitable for erasing rust, residue and dirty spots on uneven surfaces of machinery and equipments.
- For erasing residue on masonry, concrete and die cast item



AT-D6 Pneumatic Tamper

- Suitable for tamping sanding mould for cast items in medium size
- Also good for tamping concrete and brick moulds



AT-D9 Pneumatic Tamper

- Suitable for tamping sanding mould for cast items in big size
- Also good for tamping concrete and brick moulds



MODEL	RIVETING CAPACITY	IMPACT RATE	IMPACT POWER	CYLINDER DIAMETER	LENGTH	AIR HOSE (ID)	AIR CONSUMPTION	WEIGHT		QTY.PER CARTON	CARTON MEAS.
AT-M16	MM 16	HZ 20	J 22	MM 27	MM 450	MM 16	L/MIN 1,080	KGS 7.5	LBS 16.50	PCS 1	CM 46x21x12
AT-M22	MM 22	HZ 16	J 32	MM 27	MM 500	MM 16	L/MIN 1,140	KGS 9.5	LBS 20.92	PCS 1	CM 56x21x12
MODEL	IMPACT RATE	MEEDLE DIAMETER	NEEDLE QUANTITY	TOTAL LENGTH	AIR HOSE (ID)	AIR CONSUMPTION	WEIGHT		QTY.PER CARTON	CARTON MEAS.	
AT-XC23	HZ 80	MM 3	PCS 23	MM 360	MM 10	L/MIN 240	KGS 2.70	LBS 5.95	PCS 5	CM 47x38x24	
MODEL	IMPACT RATE	CYLINDER PHASE (NET)	CYLINDER DIAMETER	LENGTH	AIR HOSE (ID)	AIR CONSUMPTION	WEIGHT		QTY.PER CARTON	CARTON MEAS.	
AT-D6	HZ 14	MM 100	MM 25	MM 950-1095	MM 13	L/MIN 900	KGS 6	LBS 13.2	PCS 2	CM 112x16x9	
AT-D9	HZ 10	MM 120	MM 32	MM 1,140-1,380	MM 13	L/MIN 900	KGS 9.5	LBS 20.9	PCS 2	CM 140x16x9	